

Appendix C

Ever-use of Specific Contraceptive Methods by Demographic and Socioeconomic Characteristics of Respondents

Table C.1 Ever-use of the pill

Percentage of currently married women 15-49 reporting ever-use of the pill, by age, number of living children, residence, and education, Demographic and Health Surveys, 1990-1993

Country	Age group			Number of living children				Residence		Education			Total
	15-24	25-34	35-49	0	1-2	3-4	5+	Urban	Rural	No	Secondary or higher		
										educa- tion	Primary		
Sub-Saharan Africa													
Burkina Faso	4.1	8.1	4.3	4.2	6.0	6.4	5.1	23.3	2.0	2.9	15.7	40.5	5.7
Cameroon	4.1	8.8	6.3	4.6	5.4	6.9	8.1	12.4	2.8	0.7	6.6	20.9	6.5
Madagascar	2.2	5.6	8.2	0.6	4.2	8.5	6.2	19.2	2.7	1.8	3.0	14.8	5.5
Malawi	6.2	11.3	7.9	2.6	6.7	10.6	12.1	U	U	5.7	9.8	39.2	8.6
Namibia	29.0	35.7	22.7	25.8	36.9	32.9	17.3	49.9	15.4	10.5	19.0	55.3	28.8
Niger	2.9	4.9	2.6	0.3	3.3	4.6	4.7	18.1	1.2	2.3	11.4	53.4	3.6
Nigeria	3.1	5.0	5.8	2.2	3.4	4.7	7.7	12.4	2.7	2.0	7.3	16.3	4.8
Rwanda	6.5	13.7	11.5	1.1	8.6	12.9	15.2	22.1	10.9	9.4	11.7	27.1	11.5
Senegal	2.8	9.7	6.9	0.8	6.4	8.0	8.1	17.0	2.0	3.1	19.3	41.4	6.8
Tanzania	8.1	14.5	13.6	0.8	10.5	14.6	16.1	27.3	8.1	4.9	16.4	41.0	12.3
Zambia	10.0	24.4	21.8	3.3	14.3	23.9	25.1	31.5	7.5	6.1	15.2	43.7	18.8
Asia/Near East/ North Africa													
Egypt	19.5	45.5	57.0	1.5	31.4	57.0	60.6	51.4	39.8	41.5	58.1	39.7	45.2
Indonesia	30.1	42.9	39.1	13.3	37.7	46.2	42.6	38.1	38.9	31.5	42.3	34.4	38.7
Jordan	13.7	34.6	43.3	0.6	18.1	37.2	43.7	36.8	23.0	27.0	38.9	33.5	33.2
Morocco	51.2	63.3	59.7	19.5	62.2	67.3	64.9	71.2	50.6	55.1	73.3	75.1	59.5
Pakistan	1.9	4.7	6.1	0.3	1.7	5.4	7.7	9.6	2.3	3.2	8.6	10.3	4.5
Yemen	5.3	12.4	11.8	1.5	7.7	10.6	14.4	30.9	6.2	7.9	27.5	41.4	10.6
Latin America/ Caribbean													
Brazil (NE)	60.0	63.9	45.5	36.3	63.6	63.0	42.3	63.0	42.6	35.1	58.4	74.0	55.1
Colombia	50.6	56.9	50.6	30.9	56.6	55.1	51.3	56.4	45.6	46.2	50.0	57.2	53.1
Dominican Republic	55.0	60.0	40.2	36.7	59.5	57.4	36.3	58.4	41.3	27.2	47.6	65.1	52.1
Paraguay	34.3	44.3	38.9	24.9	42.7	47.5	33.4	49.2	29.6	18.0	37.2	49.3	40.1
Peru	20.0	33.3	30.6	14.1	30.0	34.4	26.2	36.0	14.1	7.9	21.8	38.8	29.7

U = Unknown (not available)

Table C.2 Ever-use of the IUD

Percentage of currently married women 15-49 reporting ever-use of the IUD, by age, number of living children, residence, and education, Demographic and Health Surveys, 1990-1993

Country	Age group			Number of living children				Residence		Education			Total
	15-24	25-34	35-49	0	1-2	3-4	5+	Urban	Rural	No	Secondary or higher		
										educa- tion	Primary	higher	
Sub-Saharan Africa													
Burkina Faso	0.4	2.5	1.8	0.2	1.2	2.4	2.1	7.6	0.4	0.7	4.8	13.7	1.6
Cameroon	0.3	1.6	2.4	0.0	0.8	1.6	2.6	2.2	0.9	0.2	1.5	4.5	1.4
Madagascar	0.1	1.3	1.6	0.0	0.8	2.3	0.7	4.3	0.4	0.0	0.5	3.5	1.1
Malawi	0.4	1.9	1.5	0.4	0.7	2.0	1.7	U	U	0.4	1.2	18.1	1.3
Namibia	1.7	7.7	7.5	2.4	7.9	9.5	3.5	12.7	2.7	1.6	2.2	16.0	6.5
Niger	0.1	0.4	0.5	0.0	0.2	0.3	0.9	2.5	0.0	0.2	1.1	7.7	0.4
Nigeria	0.6	1.5	3.0	0.3	0.7	2.3	3.1	4.7	0.9	0.6	2.7	6.5	1.7
Rwanda	0.1	0.8	1.6	0.0	0.5	1.1	1.4	7.7	0.6	0.4	0.6	8.9	1.0
Senegal	0.3	3.4	5.2	0.2	1.1	3.3	6.0	8.1	0.9	1.6	8.5	18.9	3.2
Tanzania	0.3	1.2	2.8	0.0	0.6	1.9	2.5	2.9	1.1	0.6	1.6	13.2	1.5
Zambia	0.4	2.9	5.0	0.2	1.3	3.2	4.5	5.0	0.5	0.0	1.1	10.3	2.6
Asia/Near East/ North Africa													
Egypt	24.8	47.6	43.6	0.4	42.5	50.8	43.3	53.3	31.5	31.4	47.6	54.4	41.7
Indonesia	12.9	26.0	25.1	1.0	23.8	28.4	23.2	25.8	21.6	17.7	21.0	32.8	22.8
Jordan	15.6	38.0	32.6	0.2	19.3	40.8	37.0	35.0	18.8	18.6	34.1	34.6	30.8
Morocco	3.3	9.4	12.0	0.5	8.9	14.1	9.3	17.0	3.6	6.3	15.8	24.5	9.4
Pakistan	1.1	4.4	3.4	0.2	1.7	4.7	4.6	6.9	1.7	2.4	3.6	9.4	3.3
Yemen	1.3	3.4	2.4	0.1	1.4	3.0	3.5	10.2	0.9	1.6	8.7	13.3	2.5
Latin America/ Caribbean													
Brazil (NE)	1.0	0.9	1.6	0.3	1.8	1.6	0.4	1.8	0.3	0.2	1.0	3.6	1.2
Colombia	22.0	37.0	29.3	4.4	36.9	34.6	21.5	35.4	20.1	9.1	24.9	39.7	30.8
Dominican Republic	5.5	15.5	14.7	1.0	13.9	16.3	11.2	16.5	6.5	4.7	10.5	18.4	12.8
Paraguay	5.5	14.8	13.7	1.2	15.2	16.7	7.8	19.2	4.7	1.2	8.4	23.2	12.5
Peru	17.1	30.4	20.7	1.9	30.4	26.6	13.6	30.0	8.6	6.9	13.4	33.8	23.8

U = Unknown (not available)

Table C.3 Ever-use of injection

Percentage of currently married women 15-49 reporting ever-use of injection, by age, number of living children, residence, and education, Demographic and Health Surveys, 1990-1993

Country	Age group			Number of living children				Residence		Education			Total
	15-24	25-34	35-49	0	1-2	3-4	5+	Urban	Rural	No	Secondary or higher		
										educa- tion	Primary		
Sub-Saharan Africa													
Burkina Faso	0.3	1.1	0.9	0.6	0.5	0.9	1.2	3.2	0.3	0.4	1.9	6.2	0.8
Cameroon	1.4	1.3	1.6	1.3	0.6	1.3	2.4	2.9	0.4	0.1	2.2	3.3	1.4
Madagascar	1.5	4.9	7.3	0.1	2.3	6.7	7.2	13.0	3.0	1.1	3.6	10.7	4.7
Malawi	1.9	3.5	7.8	1.2	2.3	3.8	9.1	U	U	4.2	4.2	8.9	4.4
Namibia	35.4	32.8	24.7	14.5	33.0	34.9	25.6	45.4	19.7	21.6	26.6	39.7	29.7
Niger	0.1	1.0	1.2	0.0	0.2	0.8	1.9	4.2	0.2	0.6	1.6	5.6	0.8
Nigeria	1.2	1.5	3.2	0.9	1.1	1.6	3.8	4.6	1.2	1.0	3.5	4.7	1.9
Rwanda	7.8	17.7	21.8	0.1	10.5	19.0	25.7	23.4	17.0	15.0	18.5	25.4	17.3
Senegal	0.0	0.9	1.0	0.0	0.2	0.6	1.5	1.5	0.3	0.4	2.2	2.3	0.7
Tanzania	0.1	1.0	1.8	0.1	0.1	0.5	2.6	2.5	0.5	0.6	1.3	0.3	1.0
Zambia	0.4	1.1	4.8	0.4	0.4	1.0	4.7	3.3	0.7	1.0	1.5	4.4	1.9
Asia/Near East/ North Africa													
Egypt	0.6	2.7	4.5	0.0	1.0	3.7	5.4	3.5	2.6	2.8	3.4	2.9	3.0
Indonesia	30.5	34.2	20.1	4.2	31.1	32.5	26.4	35.7	25.0	17.8	29.5	32.9	28.1
Jordan	0.0	0.6	3.1	0.0	0.2	0.3	2.6	1.3	1.6	2.2	2.2	0.8	1.4
Morocco	0.3	1.4	2.4	0.0	0.7	1.7	2.9	1.8	1.5	1.7	1.9	1.3	1.6
Pakistan	1.2	3.4	4.4	0.0	1.3	4.0	5.4	6.2	2.0	2.2	5.2	8.7	3.3
Yemen	0.9	2.3	2.1	0.2	0.4	1.8	3.1	2.9	1.7	1.9	1.9	1.1	1.9
Latin America/ Caribbean													
Brazil (NE)	10.2	9.1	3.8	6.4	9.5	7.0	4.0	9.5	3.0	2.8	7.3	12.6	7.0
Colombia	12.2	18.2	11.4	6.4	15.4	16.1	12.1	16.4	9.3	7.4	10.7	18.8	14.3
Dominican Republic	0.6	1.1	1.5	0.1	0.8	1.8	1.1	1.2	0.9	0.9	0.7	1.8	1.1
Paraguay	25.8	27.8	19.4	19.8	27.5	29.8	14.0	34.0	12.2	5.4	20.3	34.4	24.0
Peru	8.1	16.7	14.3	4.2	12.6	17.1	14.5	16.6	7.9	4.0	11.7	17.4	14.1

U = Unknown (not available)

Table C.4 Ever-use of vaginal methods

Percentage of currently married women 15-49 reporting ever-use of vaginal methods, by age, number of living children, residence, and education, Demographic and Health Surveys, 1990-1993

Country	Age group			Number of living children				Residence		Education			Total
	15-24	25-34	35-49	0	1-2	3-4	5+	Urban	Rural	No educa- tion	Primary	Second- ary or higher	
Sub-Saharan Africa													
Burkina Faso	0.8	2.0	1.0	1.9	1.2	1.6	1.0	6.4	0.3	0.4	1.9	18.2	1.3
Cameroon	1.6	2.5	1.9	2.4	1.9	1.6	2.3	3.6	1.0	0.1	1.5	7.8	2.0
Madagascar	0.5	0.7	1.0	0.3	0.7	1.1	0.6	2.7	0.3	0.0	0.3	2.5	0.7
Malawi	0.8	1.2	1.1	0.9	0.8	1.2	1.2	U	U	0.4	1.3	7.0	1.0
Namibia	0.3	0.7	1.4	0.0	1.8	1.0	0.3	2.0	0.3	0.5	0.1	2.5	1.0
Niger	0.1	0.4	0.3	0.0	0.1	0.3	0.5	1.7	0.0	0.1	0.6	6.7	0.2
Nigeria	0.2	0.8	1.0	0.2	0.3	1.0	0.9	2.1	0.3	0.2	0.8	3.1	0.7
Rwanda	0.0	0.3	0.3	0.0	0.2	0.1	0.4	1.8	0.2	0.1	0.1	2.7	0.2
Senegal	0.3	1.4	1.4	0.0	1.0	1.4	1.3	2.8	0.3	0.5	1.8	9.5	1.1
Tanzania	0.1	0.2	0.5	0.0	0.1	0.4	0.4	0.8	0.1	0.1	0.4	1.2	0.3
Zambia	1.2	2.2	1.8	0.0	1.8	2.3	1.8	2.9	0.7	0.6	1.0	5.3	1.8
Asia/Near East/ North Africa													
Egypt	0.4	2.5	6.3	0.0	1.7	4.9	5.5	5.4	2.1	2.2	5.1	4.8	3.7
Indonesia	0.0	0.2	0.1	0.0	0.1	0.1	0.1	0.2	0.1	0.0	0.1	0.3	0.1
Jordan	2.3	7.0	10.2	0.4	3.4	5.7	10.5	8.2	4.1	5.3	9.5	7.0	7.1
Morocco	0.5	2.2	2.7	0.2	1.8	3.2	2.1	3.7	0.9	1.3	4.3	5.0	2.1
Pakistan	0.3	0.4	0.7	0.0	0.3	0.5	0.7	1.2	0.2	0.2	1.3	1.5	0.5
Yemen	0.0	0.5	0.3	0.0	0.1	0.4	0.4	1.7	0.0	0.2	0.8	1.2	0.3
Latin America/ Caribbean													
Brazil (NE)	1.2	3.0	3.4	0.1	2.1	4.9	2.3	3.8	1.2	0.8	3.1	4.7	2.8
Colombia	11.7	20.3	19.0	8.1	18.5	22.2	14.5	21.1	10.7	6.9	12.2	25.3	18.0
Dominican Republic	1.7	4.4	8.8	0.5	4.0	7.4	6.6	6.9	2.4	5.3	5.5	4.8	5.2
Paraguay	2.3	7.4	6.6	2.9	6.6	8.4	3.9	9.0	2.7	0.0	3.8	11.9	6.1
Peru	7.2	11.7	11.5	2.7	12.1	12.8	7.7	13.5	4.2	1.3	5.8	15.8	10.8

U = Unknown (not available)

Table C.5 Ever-use of the condom

Percentage of currently married women 15-49 reporting ever-use of the condom, by age, number of living children, residence, and education, Demographic and Health Surveys, 1990-1993

Country	Age group			Number of living children				Residence		Education			Total
	15-24	25-34	35-49	0	1-2	3-4	5+	Urban	Rural	No education	Primary	Secondary or higher	
	Sub-Saharan Africa												
Burkina Faso	6.2	6.0	1.9	8.6	5.6	4.8	2.3	17.9	2.1	2.2	12.7	40.3	4.8
Cameroon	10.4	8.8	3.3	11.4	8.1	8.4	4.7	12.3	4.9	0.4	7.2	27.0	7.7
Madagascar	2.2	4.8	3.9	3.2	4.7	4.8	2.4	15.7	1.3	0.3	0.9	13.7	3.8
Malawi	10.6	9.4	5.5	7.5	9.2	9.2	7.4	U	U	4.3	11.7	31.8	8.5
Namibia	7.0	6.7	3.8	6.4	8.0	5.7	2.4	10.0	2.6	1.1	2.4	12.8	5.5
Niger	0.5	0.3	0.1	0.3	0.4	0.3	0.2	1.9	0.1	0.2	1.3	4.6	0.3
Nigeria	1.7	2.6	1.3	2.1	2.4	1.8	1.5	6.2	0.8	0.2	1.9	12.7	2.0
Rwanda	0.6	2.0	1.4	0.5	1.3	1.6	1.8	8.5	1.1	0.6	1.3	10.8	1.5
Senegal	1.7	4.9	1.8	1.3	3.5	3.7	2.4	7.4	0.8	0.8	9.1	24.8	2.9
Tanzania	5.3	3.3	2.3	1.7	5.0	3.6	2.7	9.8	1.9	0.9	5.1	15.7	3.6
Zambia	14.2	12.1	3.6	5.6	15.2	13.3	5.1	14.4	7.0	3.6	8.8	23.1	10.5
Asia/Near East/ North Africa													
Egypt	1.7	6.9	11.8	0.3	6.4	10.9	8.3	12.2	4.1	4.1	9.5	13.1	7.9
Indonesia	1.7	5.6	6.3	0.5	4.4	6.7	6.4	11.7	2.3	0.7	3.1	14.7	5.0
Jordan	2.5	9.2	6.9	0.0	4.0	8.8	8.3	7.6	4.4	2.9	7.3	8.2	6.8
Morocco	3.5	7.0	5.2	0.8	6.8	7.9	4.5	9.9	2.3	3.1	10.6	17.5	5.6
Pakistan	3.2	9.2	7.4	0.6	5.9	10.0	8.4	18.9	2.1	3.3	12.5	29.1	7.2
Yemen	0.4	1.3	1.2	0.2	0.5	1.3	1.4	5.6	0.1	0.6	3.7	7.3	1.1
Latin America/ Caribbean													
Brazil (NE)	18.8	18.5	9.9	14.0	19.2	16.5	7.7	18.3	9.2	4.9	15.2	29.2	14.8
Colombia	8.8	16.6	12.8	6.1	16.7	14.2	7.5	15.4	9.1	1.2	9.3	19.3	13.5
Dominican Republic	14.9	18.1	15.3	7.2	18.2	18.6	13.9	20.0	10.3	8.4	12.7	24.2	16.4
Paraguay	8.4	16.9	11.2	6.6	16.5	16.6	5.8	19.3	5.4	3.0	7.6	26.2	12.9
Peru	12.0	20.0	16.6	13.2	20.2	18.3	10.9	21.5	5.9	2.4	9.3	24.8	17.0

U = Unknown (not available)

Table C.6 Ever-use of female sterilization

Percentage of currently married women 15-49 reporting ever-use of female sterilization, by age, number of living children, residence, and education, Demographic and Health Surveys, 1990-1993

Country	Age group			Number of living children				Residence		Education			Total
	15-24	25-34	35-49	0	1-2	3-4	5+	Urban	Rural	No educa- tion	Primary	Second- ary or higher	
Sub-Saharan Africa													
Burkina Faso	0.1	0.1	0.6	0.4	0.1	0.4	0.3	0.7	0.2	0.2	0.1	0.6	0.2
Cameroon	0.0	0.3	3.6	0.0	0.4	0.5	3.3	1.4	1.1	1.0	1.2	1.5	1.2
Madagascar	0.0	0.7	2.0	0.1	0.2	1.7	1.3	3.6	0.4	0.2	0.7	2.1	0.9
Malawi	0.0	1.8	3.2	0.3	0.7	2.3	3.1	U	U	1.4	1.5	9.0	1.7
Namibia	1.2	3.7	13.2	1.8	4.8	9.2	10.3	12.9	4.0	5.6	5.6	11.2	7.4
Niger	0.0	0.0	0.4	0.0	0.1	0.1	0.2	0.3	0.1	0.1	0.2	0.0	0.1
Nigeria	0.0	0.1	0.8	0.0	0.1	0.2	0.8	0.4	0.3	0.2	0.6	0.3	0.3
Rwanda	0.2	0.5	1.3	0.0	0.4	1.3	0.7	1.3	0.7	0.6	0.8	1.3	0.7
Senegal	0.0	0.1	1.2	0.0	0.1	0.3	1.0	0.8	0.3	0.3	0.8	2.3	0.4
Tanzania	0.2	0.6	4.1	0.5	0.7	1.3	3.5	1.7	1.6	0.8	2.1	5.2	1.6
Zambia	0.1	0.7	6.3	0.0	1.0	1.0	4.6	3.3	1.0	1.2	1.4	4.9	2.1
Asia/Near East/ North Africa													
Egypt	0.0	0.4	2.4	0.0	0.2	1.2	2.4	1.2	1.0	1.4	1.1	0.7	1.1
Indonesia	0.1	1.9	4.9	0.0	0.7	4.9	5.5	5.2	1.7	1.6	2.2	5.0	2.7
Jordan	0.0	1.0	13.5	0.0	0.3	3.0	9.9	6.3	3.8	9.3	9.2	2.6	5.6
Morocco	0.0	0.9	6.1	0.0	0.2	2.3	6.6	4.3	1.9	2.8	4.7	1.8	3.0
Pakistan	0.3	1.7	7.7	0.0	0.5	3.3	7.4	7.3	1.9	3.0	5.1	5.8	3.5
Yemen	0.0	0.4	1.8	0.1	0.1	0.7	1.5	2.8	0.4	0.8	0.5	1.4	0.8
Latin America/ Caribbean													
Brazil (NE)	8.8	40.7	48.6	0.3	24.1	59.1	45.2	42.9	29.5	31.9	37.9	46.3	37.7
Colombia	1.7	18.9	33.4	0.5	7.0	38.9	35.7	20.9	20.9	26.9	23.8	17.2	20.9
Dominican Republic	7.1	38.7	60.9	0.4	16.7	65.0	55.7	39.2	37.4	35.3	43.7	30.9	38.5
Paraguay	0.8	4.4	13.4	0.5	3.4	11.6	10.7	8.3	6.3	9.6	7.1	7.8	7.4
Peru	0.3	3.9	14.6	0.1	2.7	12.0	12.7	9.6	3.5	4.1	7.8	8.6	7.9

U = Unknown (not available)

Table C.7 Ever-use of male sterilization

Percentage of currently married women 15-49 reporting ever-use of male sterilization, by age, number of living children, residence, and education, Demographic and Health Surveys, 1990-1993

Country	Age group			Number of living children				Residence		Education			Total
	15-24	25-34	35-49	0	1-2	3-4	5+	Urban	Rural	No educa- tion	Primary	Second- ary or higher	
	Sub-Saharan Africa												
Burkina Faso	0.1	0.2	0.2	0.0	0.2	0.1	0.2	0.2	0.2	0.1	0.8	0.0	0.2
Cameroon	0.0	0.1	0.2	0.0	0.1	0.0	0.2	0.0	0.1	0.1	0.1	0.0	0.1
Madagascar	0.1	0.1	0.1	0.3	0.0	0.1	0.1	0.3	0.0	0.0	0.1	0.1	0.1
Malawi	0.3	0.3	0.3	0.1	0.4	0.3	0.2	U	U	0.2	0.3	2.1	0.3
Namibia	0.1	0.7	0.7	0.0	0.6	1.3	0.2	1.6	0.0	0.0	0.2	1.6	0.6
Niger	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Nigeria	0.0	0.0	0.1	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.2	0.0
Rwanda	0.0	0.1	0.1	0.0	0.0	0.0	0.2	0.2	0.1	0.1	0.1	0.2	0.1
Senegal	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
Tanzania	0.0	0.0	0.1	0.0	0.0	0.2	0.0	0.0	0.1	0.1	0.0	0.3	0.1
Zambia	0.0	0.2	0.4	0.0	0.0	0.3	0.3	0.3	0.1	0.0	0.2	0.3	0.2
Asia/Near East/ North Africa													
Egypt	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0
Indonesia	0.1	0.6	1.0	0.0	0.4	1.0	1.1	0.5	0.7	0.9	0.6	0.4	0.6
Jordan	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
Morocco	0.0	0.1	0.1	0.0	0.0	0.2	0.1	0.1	0.0	0.0	0.2	0.2	0.1
Pakistan	0.0	0.1	0.2	0.0	0.1	0.2	0.1	0.2	0.0	0.0	0.3	0.3	0.1
Yemen	0.0	0.1	0.4	0.0	0.0	0.2	0.3	0.9	0.0	0.1	0.2	0.9	0.2
Latin America/ Caribbean													
Brazil (NE)	0.0	0.4	0.1	0.0	0.3	0.4	0.0	0.2	0.2	0.0	0.3	0.3	0.2
Colombia	0.1	0.9	0.6	0.0	0.4	1.1	0.4	0.7	0.3	0.0	0.4	0.9	0.6
Dominican Republic	0.1	0.4	0.9	0.0	0.3	0.7	0.5	0.6	0.2	0.1	0.3	0.8	0.5
Paraguay	0.0	0.2	0.0	0.5	0.1	0.0	0.0	0.1	0.1	0.0	0.1	0.0	0.1
Peru	0.0	0.1	0.4	0.0	0.2	0.3	0.2	0.3	0.1	0.2	0.2	0.3	0.2

U = Unknown (not available)

Table C.8 Ever-use of Norplant

Percentage of currently married women 15-49 reporting ever-use of Norplant, by age, number of living children, residence, and education, Demographic and Health Surveys, 1990-1993

Country	Age group			Number of living children				Residence		Education			Total
	15-24	25-34	35-49	0	1-2	3-4	5+	Urban	Rural	No education	Primary	Secondary or higher	
	Sub-Saharan Africa												
Burkina Faso	0.1	0.3	0.1	0.2	0.2	0.3	0.0	0.8	0.0	0.1	0.2	2.0	0.2
Madagascar	0.8	0.3	0.5	0.5	0.4	0.7	0.4	1.2	0.4	0.0	0.5	0.9	0.5
Rwanda	0.2	0.7	0.6	0.0	0.2	0.8	0.9	1.1	0.5	0.4	0.6	1.8	0.6
Senegal	0.0	0.1	0.1	0.0	0.1	0.0	0.1	0.1	0.0	0.0	0.2	0.5	0.0
Asia/Near East/ North Africa													
Egypt	0.0	0.2	0.2	0.0	0.1	0.3	0.2	0.2	0.1	0.1	0.1	0.3	0.2
Indonesia	3.5	4.2	3.0	0.2	3.8	4.3	3.8	1.6	4.4	3.4	4.2	2.1	3.6
Pakistan	1.2	1.2	1.4	0.0	1.0	2.0	1.4	1.1	1.4	1.4	1.1	0.7	1.3
Latin America/ Caribbean													
Dominican Republic	0.3	1.0	0.4	0.0	0.8	1.0	0.2	1.0	0.1	0.0	0.4	1.3	0.7

Table C.9 Ever-use of periodic abstinence

Percentage of currently married women 15-49 reporting ever-use of periodic abstinence, by age, number of living children, residence, and education, Demographic and Health Surveys, 1990-1993

Country	Age group			Number of living children				Residence		Education			Total
	15-24	25-34	35-49	0	1-2	3-4	5+	Urban	Rural	No educa-	Secondary or higher		
										tion	Primary		
Sub-Saharan Africa													
Burkina Faso	14.1	17.5	15.4	13.2	14.9	17.2	16.5	32.0	12.4	12.7	24.7	57.3	15.8
Cameroon	27.7	24.3	11.6	26.1	24.3	20.9	17.1	35.2	13.2	2.4	24.9	64.7	21.6
Madagascar	16.8	23.9	19.7	15.1	23.8	24.5	16.5	49.6	14.5	2.7	13.3	54.1	20.6
Malawi	15.2	20.7	15.7	9.2	18.2	17.8	19.7	U	U	15.4	19.1	24.4	17.3
Namibia	13.1	9.4	7.1	4.8	11.7	9.2	7.2	10.2	8.3	4.3	8.6	12.9	9.0
Niger	0.7	0.8	0.5	0.3	0.6	0.7	0.9	2.7	0.4	0.4	1.4	13.7	0.7
Nigeria	3.7	5.2	3.6	4.1	4.0	4.2	4.9	8.9	3.1	1.1	6.7	19.3	4.3
Rwanda	12.3	19.4	18.5	5.7	14.5	20.5	20.9	19.9	17.6	16.1	18.2	26.7	17.7
Senegal	2.0	4.5	2.3	0.8	3.3	3.5	3.1	7.2	1.0	0.9	9.1	24.8	3.0
Tanzania	6.5	9.0	5.7	4.2	7.8	7.6	7.1	12.0	5.8	3.1	9.3	26.3	7.2
Zambia	6.8	9.9	6.7	4.4	8.1	9.4	7.9	11.5	4.7	1.6	6.4	19.5	7.9
Asia/Near East/ North Africa													
Egypt	0.5	2.9	5.4	0.0	3.5	5.0	2.8	6.0	1.3	0.7	2.7	9.1	3.5
Indonesia	1.1	3.3	4.6	0.8	3.3	4.1	3.5	7.8	1.5	0.3	1.5	11.3	3.3
Jordan	9.7	20.2	18.2	1.6	15.5	21.9	18.6	19.3	10.7	8.7	12.4	22.4	17.0
Morocco	5.1	10.7	10.2	4.6	10.5	12.2	8.2	16.4	4.1	5.1	15.2	33.8	9.4
Pakistan	2.0	5.2	6.6	0.6	3.3	6.7	6.6	11.4	2.2	3.0	7.2	16.8	5.0
Yemen	1.5	2.5	1.9	0.9	2.3	2.2	2.2	8.0	0.8	1.1	5.5	18.2	2.1
Latin America/ Caribbean													
Brazil (NE)	10.3	17.6	18.1	6.3	18.6	19.1	14.0	20.4	9.9	5.8	14.5	40.3	16.3
Colombia	11.9	23.4	22.8	9.5	22.5	23.2	17.3	23.8	13.6	8.2	12.8	30.5	20.7
Dominican Republic	11.0	16.3	13.7	9.7	17.2	15.2	8.4	18.2	7.2	3.3	7.4	27.5	14.1
Paraguay	13.3	21.9	17.8	13.0	23.0	21.4	10.9	26.6	9.0	1.2	10.7	38.4	18.5
Peru	43.6	56.3	54.2	41.6	55.0	55.6	48.9	56.4	44.7	37.6	46.9	60.0	53.1

U = Unknown (not available)

Table C.10 Ever-use of withdrawal

Percentage of currently married women 15-49 reporting ever-use of withdrawal, by age, number of living children, residence, and education, Demographic and Health Surveys, 1990-1993

Country	Age group			Number of living children				Residence		Education			Total
	15-24	25-34	35-49	0	1-2	3-4	5+	Urban	Rural	No educa- tion	Primary	Second- ary or higher	
	Sub-Saharan Africa												
Burkina Faso	2.9	4.0	3.1	2.8	3.7	3.7	2.9	9.1	2.2	2.3	7.1	18.0	3.4
Cameroon	19.4	21.8	10.3	14.2	18.7	18.2	17.3	24.8	12.9	2.0	25.4	43.0	17.5
Madagascar	7.9	12.7	10.3	6.0	11.0	14.7	8.5	28.6	6.8	0.6	7.1	27.8	10.6
Malawi	11.1	16.1	14.2	6.4	13.8	14.9	16.7	U	U	9.8	17.8	24.6	13.9
Namibia	6.1	6.0	4.6	5.4	7.6	4.7	3.7	9.4	2.9	1.3	4.0	10.2	5.4
Niger	0.5	0.4	0.1	0.3	0.5	0.3	0.3	1.6	0.2	0.2	1.8	5.3	0.4
Nigeria	2.1	3.9	2.1	2.6	2.5	3.2	2.9	6.3	1.9	0.6	4.9	12.2	2.8
Rwanda	11.8	14.2	13.7	3.6	12.4	14.4	16.2	13.8	13.5	11.4	15.1	18.2	13.5
Senegal	0.9	2.1	0.9	1.3	1.3	1.5	1.3	3.2	0.4	0.5	5.3	7.2	1.3
Tanzania	7.0	10.9	7.7	1.9	8.6	11.0	9.0	13.1	7.5	4.0	11.6	20.5	8.7
Zambia	20.3	27.4	23.0	6.6	23.8	27.3	27.0	25.1	22.5	18.7	25.6	22.7	23.7
Asia/Near East/ North Africa													
Egypt	1.1	2.0	4.2	0.3	2.5	3.8	2.5	4.2	1.4	0.9	2.4	6.3	2.7
Indonesia	1.8	3.6	3.2	0.7	3.0	3.8	3.2	5.6	2.0	0.5	2.3	7.4	3.1
Jordan	8.6	20.5	19.7	0.8	11.8	21.6	21.1	19.3	12.3	12.1	17.3	19.7	17.4
Morocco	4.4	9.5	9.7	2.0	7.4	11.4	9.8	12.1	6.0	6.9	14.3	14.9	8.7
Pakistan	2.3	4.4	4.1	0.3	2.3	6.4	4.1	10.0	1.1	1.6	8.1	15.7	3.8
Yemen	0.8	2.3	1.7	0.0	1.6	2.0	2.1	7.6	0.5	0.9	6.6	12.0	1.8
Latin America/ Caribbean													
Brazil (NE)	18.3	18.2	15.9	9.5	19.8	16.4	17.6	17.4	16.9	12.8	18.2	20.5	17.2
Colombia	14.2	16.8	17.0	6.5	16.6	17.4	18.4	15.9	17.3	8.4	17.0	16.6	16.3
Dominican Republic	16.0	17.3	13.7	9.5	17.0	17.1	14.3	17.0	13.7	7.3	14.4	19.9	15.7
Paraguay	9.9	14.8	12.3	8.5	15.0	14.8	9.0	16.0	9.1	4.0	10.7	18.6	12.8
Peru	20.5	22.9	23.2	16.5	23.4	22.7	22.3	24.7	17.4	14.1	20.1	25.7	22.6

U = Unknown (not available)

Table C.11 Ever-use of other traditional methods

Percentage of currently married women 15-49 reporting ever-use of other traditional methods, by age, number of living children, residence, and education, Demographic and Health Surveys, 1990-1993

Country	Age group			Number of living children				Residence		Education			Total
	15-24	25-34	35-49	0	1-2	3-4	5+	Urban	Rural	No educa- tion	Primary	Second- ary or higher	
Sub-Saharan Africa													
Burkina Faso	4.8	5.6	5.9	1.2	5.4	6.7	6.2	4.3	5.7	5.4	6.4	4.4	5.5
Cameroon	4.9	4.4	4.8	4.2	4.2	5.2	4.9	7.2	3.1	2.5	4.8	9.9	4.7
Madagascar	2.4	2.6	2.1	1.5	2.6	3.0	2.1	5.3	1.8	1.2	1.6	5.4	2.4
Malawi	7.1	12.9	14.2	2.6	9.0	12.9	17.7	U	U	10.0	13.1	11.9	11.4
Namibia	10.7	5.5	3.6	1.0	6.6	6.5	4.9	2.4	7.6	4.6	7.9	3.0	5.5
Niger	5.9	9.7	6.9	1.0	7.6	9.0	10.1	13.1	6.8	7.3	11.6	12.4	7.6
Nigeria	2.0	2.0	2.9	0.9	1.8	2.2	3.6	3.9	1.9	1.8	2.7	4.3	2.3
Rwanda	0.0	0.0	0.2	0.0	0.0	0.1	0.1	0.6	0.1	0.1	0.1	0.3	0.1
Senegal	4.1	7.2	7.6	0.8	5.0	7.8	8.6	8.3	5.6	6.0	9.5	7.7	6.5
Tanzania	1.8	2.6	3.7	0.3	1.8	3.0	4.3	4.5	2.2	2.8	2.7	1.2	2.7
Zambia	6.1	10.9	19.4	1.6	8.0	11.4	19.1	9.8	13.3	13.9	12.1	7.8	11.7
Asia/Near East/ North Africa													
Egypt	0.4	0.6	1.3	0.0	0.3	0.9	1.7	0.9	0.8	1.0	0.7	0.6	0.9
Indonesia	1.0	2.3	3.6	0.6	1.9	3.2	3.9	4.0	1.9	2.0	2.3	3.7	2.5
Jordan	11.8	21.9	20.8	0.0	13.3	20.8	24.4	19.0	19.7	20.1	21.1	18.0	19.2
Morocco	0.6	1.3	3.1	0.2	0.9	1.4	3.8	2.3	1.8	2.1	2.6	0.6	2.0
Pakistan	0.6	0.4	0.9	0.0	0.5	0.2	1.2	1.0	0.5	0.6	0.2	1.0	0.6
Yemen	2.5	3.4	3.9	0.0	4.0	3.2	4.1	10.5	1.8	2.7	7.5	10.6	3.4
Latin America/ Caribbean													
Brazil (NE)	1.1	1.7	1.0	1.6	0.6	2.2	1.1	1.5	0.9	1.7	1.2	0.8	1.3
Colombia	1.8	1.2	1.5	0.8	1.4	1.3	2.0	1.5	1.2	1.6	1.7	1.1	1.4
Dominican Republic	4.1	3.2	2.7	2.2	4.3	2.4	3.4	3.4	2.9	3.7	3.1	3.4	3.2
Paraguay	21.7	28.7	26.2	12.4	25.3	30.6	27.6	30.2	21.8	16.6	28.0	23.5	26.3
Peru	5.9	7.5	9.5	2.7	5.7	9.7	11.0	8.1	7.9	8.3	9.9	6.7	8.1

U = Unknown (not available)