



UGANDA


FAST FACTS FROM THE 2014-2015 UGANDA **MALARIA INDICATOR SURVEY**

The 2014-15 Uganda Malaria Indicator Survey (UMIS) provides population-based estimates on malaria indicators including malaria prevention, case management, and malaria and anaemia prevalence to inform strategic planning, and programme evaluation.


MALARIA PREVALENCE

19%
of children age 0-59 months
tested positive for malaria
by microscopy.

Malaria Prevalence by Region
Percent of children age 0-59 months who tested positive for malaria by microscopy



INSECTICIDE-TREATED NET USE



3 in 4
children under 5 &
pregnant women age 15-49
slept under an insecticide-treated
net the night before the survey.

INTERMITTENT PREVENTIVE TREATMENT OF PREGNANT WOMEN

Nearly half
of pregnant women age 15-49
with a live birth in the two years
before the survey took **2+**
doses of SP/Fansidar and
received **at least 1** during
an antenatal care visit.



The 2014-15 Uganda Malaria Indicator Survey (2014-15 UMIS) was implemented by the Uganda Bureau of Statistics (UBOS) and the National Malaria Control Programme (NMCP) of the Uganda Ministry of Health from December 2014 to January 2015. The funding for the UMIS was provided by the United States Agency for International Development (USAID) and the United Kingdom Department for International Development (DFID). ICF International provided technical assistance as well as funding to the project through The DHS Program, a USAID-funded project providing support and technical assistance in the implementation of population and health surveys in countries worldwide.

Image credits (starting from left): © 2010 Uganda Ministry of Health, © 2010 Twin Work & Volunteer used under Creative Commons license, © 2007 AMREF/ Anne Cormier used under Creative Commons license, © National Malaria Control Program.

