

# Appendix D

## Current Use of Specific Contraceptive Methods by Demographic and Socioeconomic Characteristics of Respondents

Table D.1 Current use of the pill

Percentage of currently married women 15-49 reporting current use of the pill, by age, number of living children, residence, and education, Demographic and Health Surveys, 1990-1993

Country	Age group			Number of living children				Residence		Education			Total
	15-24	25-34	35-49	0	1-2	3-4	5+	Urban	Rural	No	Secondary or higher		
										educa- tion	Primary	higher	
<b>Sub-Saharan Africa</b>													
Burkina Faso	1.5	3.2	1.4	1.0	2.1	2.6	2.1	8.3	0.8	1.0	7.3	12.9	2.1
Cameroon	0.8	1.3	1.4	0.5	0.9	1.6	1.5	2.1	0.6	0.1	1.1	4.1	1.2
Madagascar	1.1	1.7	1.5	0.1	1.6	2.0	1.3	4.4	0.8	0.4	0.8	3.9	1.4
Malawi	1.8	3.2	1.4	0.1	2.0	2.5	3.0	5.7	1.7	1.3	2.5	11.4	2.2
Namibia	9.8	11.3	5.1	6.6	12.7	6.6	5.6	14.7	4.2	2.5	5.0	16.9	8.3
Niger	1.4	1.8	1.1	0.1	1.4	2.2	1.7	7.5	0.5	0.9	5.0	22.1	1.5
Nigeria	1.0	1.2	1.5	0.9	0.8	1.0	2.2	3.1	0.7	0.5	1.7	4.5	1.2
Rwanda	2.0	4.1	2.3	0.0	2.6	3.7	3.5	5.5	2.9	2.4	2.8	10.4	3.0
Senegal	1.0	3.4	1.8	0.6	2.0	2.7	2.4	5.7	0.5	0.9	7.7	10.8	2.2
Tanzania	3.4	4.7	1.9	0.1	4.3	4.2	2.7	8.4	2.0	0.6	4.8	17.2	3.4
Zambia	3.4	5.8	3.2	0.2	3.8	6.0	4.8	7.9	1.1	0.9	3.1	11.6	4.3
<b>Asia/Near East/ North Africa</b>													
Egypt	6.2	14.7	14.3	0.3	10.1	17.1	15.1	14.0	11.9	12.0	17.1	10.6	12.9
Indonesia	14.3	17.9	11.9	4.7	17.4	16.5	11.2	13.8	15.2	12.5	16.7	11.2	14.8
Jordan	3.1	4.9	5.3	0.2	3.9	5.1	5.5	5.2	3.0	3.0	4.9	5.2	4.6
Morocco	26.7	32.0	25.2	3.2	33.6	32.7	28.6	33.7	23.8	25.5	36.0	37.8	28.1
Pakistan	0.6	0.8	0.7	0.0	0.5	1.0	0.9	1.4	0.4	0.5	1.5	1.2	0.7
Yemen	2.3	3.8	3.1	0.5	3.3	2.8	4.0	9.8	1.8	2.1	9.7	16.8	3.2
<b>Latin America/ Caribbean</b>													
Brazil (NE)	27.3	14.1	6.2	15.6	21.7	8.7	6.8	13.7	12.6	7.7	14.8	16.5	13.3
Colombia	22.1	16.6	7.2	8.5	20.7	10.3	6.4	14.7	12.8	11.5	13.5	15.1	14.1
Dominican Republic	18.9	11.2	1.5	8.2	18.6	5.0	1.7	11.1	7.5	2.1	7.6	15.1	9.8
Paraguay	16.6	16.5	9.2	9.0	15.6	14.8	10.8	14.4	12.6	9.8	14.1	12.8	13.6
Peru	6.4	8.2	3.2	5.1	7.3	5.2	3.8	6.5	3.7	1.4	4.5	7.2	5.7

**Table D.2 Current use of the IUD**

Percentage of currently married women 15-49 reporting current use of the IUD, by age, number of living children, residence, and education, *Demographic and Health Surveys, 1990-1993*

Country	Age group			Number of living children				Residence		Education			Total
	15-24	25-34	35-49	0	1-2	3-4	5+	Urban	Rural	No educa- tion	Primary	Second- ary or higher	
	<b>Sub-Saharan Africa</b>												
Burkina Faso	0.2	1.0	1.0	0.1	0.5	1.1	1.0	3.6	0.1	0.3	2.2	6.3	0.7
Cameroon	0.1	0.6	0.2	0.0	0.2	0.3	0.5	0.8	0.0	0.0	0.4	0.9	0.3
Madagascar	0.1	0.6	0.8	0.0	0.5	1.1	0.3	2.1	0.2	0.0	0.2	1.7	0.5
Malawi	0.0	0.6	0.3	0.0	0.2	0.6	0.2	1.3	0.1	0.0	0.3	5.4	0.3
Namibia	1.1	3.0	1.7	0.6	3.0	2.2	1.4	4.0	0.8	0.2	0.4	5.6	2.1
Niger	0.1	0.2	0.2	0.0	0.1	0.1	0.5	1.2	0.0	0.1	0.8	2.1	0.2
Nigeria	0.2	0.9	1.2	0.0	0.2	1.3	1.4	2.5	0.3	0.2	1.4	3.2	0.8
Rwanda	0.0	0.1	0.5	0.0	0.2	0.4	0.2	1.8	0.1	0.1	0.1	1.7	0.2
Senegal	0.2	1.1	2.6	0.2	0.4	1.2	2.9	3.5	0.4	0.7	3.0	9.9	1.4
Tanzania	0.1	0.4	0.7	0.0	0.2	0.8	0.6	1.1	0.3	0.0	0.5	6.6	0.4
Zambia	0.1	0.8	0.4	0.0	0.5	0.6	0.5	1.0	0.0	0.0	0.1	2.1	0.5
<b>Asia/Near East/ North Africa</b>													
Egypt	18.1	32.8	27.6	0.2	29.2	34.0	28.2	34.6	22.0	20.7	31.2	37.6	27.9
Indonesia	9.0	13.8	15.3	0.7	14.1	16.7	12.9	14.2	13.0	10.1	12.3	19.3	13.3
Jordan	9.3	20.5	13.7	0.2	10.6	22.3	17.1	17.3	9.5	8.1	15.2	18.3	15.3
Morocco	1.7	3.3	3.8	0.2	3.1	5.1	3.0	5.7	1.3	2.2	5.0	8.3	3.2
Pakistan	0.6	1.8	1.0	0.0	0.7	1.5	2.0	2.0	0.9	1.0	1.5	2.9	1.3
Yemen	0.7	1.7	1.0	0.1	0.8	1.5	1.6	4.6	0.5	0.7	4.1	7.3	1.2
<b>Latin America/ Caribbean</b>													
Brazil (NE)	0.5	0.3	0.3	0.3	0.8	0.1	0.0	0.5	0.0	0.0	0.2	1.6	0.3
Colombia	13.3	15.5	8.6	1.2	18.9	9.8	5.3	14.2	8.2	4.0	8.8	17.0	12.4
Dominican Republic	1.4	3.1	0.4	0.5	3.8	0.8	0.2	2.3	0.8	0.4	0.6	3.9	1.8
Paraguay	3.2	7.4	5.3	0.0	7.1	7.7	3.4	8.8	2.1	0.0	3.6	11.1	5.7
Peru	12.0	17.9	9.8	0.6	18.9	13.9	6.0	16.7	5.0	4.0	7.6	18.8	13.4

**Table D.3 Current use of injection**

Percentage of currently married women 15-49 reporting current use of injection, by age, number of living children, residence, and education, Demographic and Health Surveys, 1990-1993

Country	Age group			Number of living children				Residence		Education			Total
	15-24	25-34	35-49	0	1-2	3-4	5+	Urban	Rural	No educa-	Second-		
										tion	Primary	ary or higher	
<b>Sub-Saharan Africa</b>													
Burkina Faso	0.0	0.2	0.2	0.0	0.1	0.2	0.2	0.7	0.0	0.0	0.9	0.8	0.1
Cameroon	0.5	0.3	0.4	0.3	0.1	0.5	0.7	0.8	0.1	0.0	0.9	0.6	0.4
Madagascar	0.6	1.7	2.3	0.0	0.7	1.7	3.0	2.6	1.4	0.5	1.7	2.4	1.6
Malawi	0.3	1.1	3.1	0.0	0.6	1.1	3.7	2.2	1.4	1.4	1.5	3.0	1.5
Namibia	11.7	9.0	5.1	1.8	9.1	11.3	4.6	13.8	3.9	5.9	6.1	11.3	7.7
Niger	0.1	0.7	0.6	0.0	0.2	0.6	1.0	2.4	0.1	0.4	0.9	4.0	0.5
Nigeria	0.4	0.6	1.2	0.3	0.3	0.7	1.5	1.8	0.4	0.3	1.3	2.1	0.7
Rwanda	4.9	8.5	10.2	0.0	4.9	9.6	12.5	7.7	8.5	7.8	8.9	10.0	8.4
Senegal	0.0	0.1	0.3	0.0	0.1	0.0	0.4	0.3	0.1	0.1	0.4	0.5	0.2
Tanzania	0.0	0.5	0.6	0.0	0.0	0.2	1.1	1.2	0.2	0.2	0.5	0.3	0.4
Zambia	0.1	0.1	0.3	0.0	0.0	0.1	0.4	0.3	0.0	0.1	0.2	0.1	0.1
<b>Asia/Near East/ North Africa</b>													
Egypt	0.1	0.3	0.8	0.0	0.0	0.6	1.1	0.5	0.5	0.5	0.5	0.4	0.5
Indonesia	17.3	13.9	6.2	1.8	14.9	12.1	8.6	14.4	10.6	7.3	12.3	13.9	11.7
Jordan	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
Morocco	0.2	0.1	0.1	0.0	0.2	0.2	0.1	0.0	0.2	0.2	0.0	0.0	0.1
Pakistan	0.4	0.5	1.3	0.0	0.3	0.7	1.4	1.2	0.6	0.5	1.2	1.9	0.8
Yemen	0.3	0.8	0.5	0.0	0.1	0.8	0.9	0.5	0.6	0.7	0.0	0.2	0.6
<b>Latin America/ Caribbean</b>													
Brazil (NE)	1.6	1.0	0.4	1.3	1.7	0.3	0.2	1.1	0.5	0.2	1.0	1.2	0.8
Colombia	2.9	2.8	1.4	2.0	2.9	1.3	2.1	2.6	1.4	0.5	1.9	2.8	2.2
Dominican Republic	0.0	0.0	0.2	0.0	0.0	0.2	0.0	0.1	0.0	0.6	0.0	0.0	0.1
Paraguay	7.1	6.4	3.1	3.7	6.6	5.9	2.9	6.9	3.2	0.4	4.4	7.6	5.2
Peru	2.5	2.5	1.1	1.6	2.2	2.0	1.4	2.1	1.4	1.2	1.4	2.4	1.9

**Table D.4 Current use of vaginal methods**

Percentage of currently married women 15-49 reporting current use of vaginal methods, by age, number of living children, residence, and education, Demographic and Health Surveys, 1990-1993

Country	Age group			Number of living children				Residence		Education			Total
	15-24	25-34	35-49	0	1-2	3-4	5+	Urban	Rural	No educa- tion	Primary	Second- ary or higher	
	<b>Sub-Saharan Africa</b>												
Burkina Faso	0.1	0.1	0.2	0.2	0.2	0.1	0.0	0.7	0.0	0.0	0.1	2.2	0.1
Cameroon	0.2	0.2	0.4	0.6	0.2	0.1	0.4	0.6	0.1	0.0	0.1	1.3	0.3
Madagascar	0.0	0.1	0.1	0.0	0.0	0.1	0.1	0.4	0.0	0.0	0.0	0.3	0.1
Malawi	0.0	0.1	0.3	0.0	0.0	0.1	0.4	0.3	0.1	0.1	0.0	1.9	0.1
Namibia	0.0	0.0	0.1	0.0	0.2	0.0	0.0	0.1	0.0	0.0	0.0	0.2	0.1
Niger	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0
Nigeria	0.1	0.1	0.1	0.0	0.0	0.2	0.2	0.6	0.0	0.0	0.2	0.6	0.1
Rwanda	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.3	0.0
Senegal	0.1	0.0	0.2	0.0	0.1	0.1	0.1	0.2	0.0	0.1	0.0	0.9	0.1
Tanzania	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
Zambia	0.0	0.2	0.3	0.0	0.1	0.1	0.3	0.3	0.0	0.0	0.0	0.6	0.1
<b>Asia/Near East/ North Africa</b>													
Egypt	0.0	0.3	0.5	0.0	0.2	0.7	0.2	0.5	0.2	0.2	0.4	0.5	0.4
Indonesia	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0
Jordan	0.3	0.7	0.6	0.0	0.4	0.7	0.7	0.7	0.2	0.2	0.5	0.8	0.6
Morocco	0.1	0.1	0.4	0.0	0.4	0.3	0.2	0.5	0.0	0.1	0.6	0.7	0.2
Pakistan	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0
Yemen	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.2	0.0	0.0	0.4	0.0	0.0
<b>Latin America/ Caribbean</b>													
Brazil (NE)	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.1	0.0	0.0
Colombia	1.2	2.2	1.4	1.3	1.9	1.5	1.5	1.9	1.1	0.5	1.3	2.2	1.7
Dominican Republic	0.2	0.1	0.0	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.2	0.0	0.1
Paraguay	0.3	1.1	0.7	0.0	1.1	0.7	0.6	0.9	0.6	0.0	0.3	2.0	0.8
Peru	0.7	1.0	1.1	0.0	1.1	1.1	0.8	1.1	0.7	0.1	0.7	1.4	1.0

**Table D.5 Current use of the condom**

Percentage of currently married women 15-49 reporting current use of the condom, by age, number of living children, residence, and education, Demographic and Health Surveys, 1990-1993

Country	Age group			Number of living children				Residence		Education			Total
	15-24	25-34	35-49	0	1-2	3-4	5+	Urban	Rural	No education	Primary	Secondary or higher	
	<b>Sub-Saharan Africa</b>												
Burkina Faso	1.3	0.9	0.1	1.8	1.1	0.7	0.1	3.1	0.3	0.3	2.0	8.7	0.8
Cameroon	0.9	1.2	0.6	0.6	1.0	1.3	0.7	1.4	0.7	0.0	0.9	3.4	0.9
Madagascar	0.4	0.7	0.4	0.5	0.7	0.6	0.3	2.6	0.1	0.0	0.1	2.0	0.5
Malawi	2.6	1.5	0.8	1.1	2.3	1.7	0.9	2.9	1.5	0.6	2.5	5.7	1.6
Namibia	0.0	0.5	0.1	0.0	0.3	0.4	0.2	0.5	0.1	0.0	0.1	0.6	0.3
Niger	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.4	0.0
Nigeria	0.4	0.5	0.2	0.3	0.6	0.2	0.2	1.1	0.1	0.0	0.2	2.9	0.4
Rwanda	0.1	0.2	0.3	0.0	0.2	0.1	0.4	2.0	0.1	0.2	0.0	2.1	0.2
Senegal	0.2	0.7	0.2	0.2	0.4	0.3	0.6	1.1	0.1	0.1	0.8	4.5	0.4
Tanzania	0.9	0.6	0.6	0.0	0.9	0.5	0.8	1.6	0.4	0.1	1.0	3.9	0.7
Zambia	2.5	1.9	0.7	0.2	2.9	2.1	1.0	2.6	1.1	0.4	1.4	4.4	1.8
<b>Asia/Near East/ North Africa</b>													
Egypt	0.3	1.4	3.3	0.0	1.6	2.5	2.3	3.2	0.9	1.2	2.6	2.8	2.0
Indonesia	0.1	1.0	1.0	0.0	0.8	1.0	0.9	1.8	0.4	0.2	0.5	2.2	0.8
Jordan	0.5	1.1	0.6	0.0	1.2	0.9	0.7	0.9	0.3	0.1	0.7	1.0	0.8
Morocco	0.6	0.9	1.0	0.2	0.9	1.5	0.7	1.6	0.4	0.6	1.2	2.6	0.9
Pakistan	1.3	3.6	2.6	0.1	2.9	3.5	2.8	6.7	1.0	1.1	4.5	12.2	2.7
Yemen	0.0	0.2	0.0	0.0	0.1	0.1	0.1	0.4	0.0	0.0	0.5	1.0	0.1
<b>Latin America/ Caribbean</b>													
Brazil (NE)	3.3	1.3	0.6	3.5	2.6	0.2	0.5	1.5	1.2	0.2	1.3	3.6	1.4
Colombia	1.6	3.0	3.4	1.1	4.1	1.6	2.6	2.9	2.7	0.6	2.2	3.9	2.9
Dominican Republic	1.1	1.5	0.8	0.7	2.4	0.2	0.8	1.7	0.2	0.0	0.2	3.0	1.2
Paraguay	1.3	4.0	1.8	0.9	3.8	2.7	1.2	3.7	1.2	0.0	1.7	4.9	2.6
Peru	1.6	3.4	2.9	2.0	3.3	3.2	1.9	3.5	1.2	0.8	1.9	3.9	2.8

Table D.6 Current use of female sterilization

Percentage of currently married women 15-49 reporting current use of female sterilization, by age, number of living children, residence, and education, Demographic and Health Surveys, 1990-1993

Country	Age group			Number of living children				Residence		Education			Total
	15-24	25-34	35-49	0	1-2	3-4	5+	Urban	Rural	No educa-	Second-		
										tion	Primary	ary or higher	
<b>Sub-Saharan Africa</b>													
Burkina Faso	0.1	0.1	0.6	0.4	0.1	0.4	0.3	0.7	0.2	0.2	0.1	0.6	0.2
Cameroon	0.0	0.3	3.6	0.0	0.4	0.5	3.3	1.4	1.1	1.0	1.2	1.5	1.2
Madagascar	0.0	0.7	2.0	0.1	0.2	1.7	1.3	3.6	0.4	0.2	0.7	2.1	0.9
Malawi	0.0	1.8	3.2	0.3	0.7	2.3	3.1	4.9	1.2	1.4	1.5	9.0	1.7
Namibia	1.2	3.7	13.2	1.8	4.8	9.2	10.3	12.9	4.0	5.6	5.6	11.2	7.4
Niger	0.0	0.0	0.4	0.0	0.1	0.1	0.2	0.3	0.1	0.1	0.2	0.0	0.1
Nigeria	0.0	0.1	0.8	0.0	0.1	0.2	0.8	0.4	0.3	0.2	0.6	0.3	0.3
Rwanda	0.2	0.5	1.2	0.0	0.4	1.3	0.6	1.3	0.7	0.6	0.8	1.3	0.7
Senegal	0.0	0.1	1.2	0.0	0.1	0.3	1.0	0.8	0.3	0.3	0.8	2.3	0.4
Tanzania	0.2	0.6	4.1	0.5	0.7	1.3	3.5	1.7	1.6	0.8	2.1	5.2	1.6
Zambia	0.1	0.7	6.3	0.0	1.0	1.0	4.6	3.3	1.0	1.2	1.4	4.9	2.1
<b>Asia/Near East/ North Africa</b>													
Egypt	0.0	0.4	2.4	0.0	0.2	1.2	2.4	1.2	1.0	1.4	1.1	0.7	1.1
Indonesia	0.1	1.9	4.9	0.0	0.7	4.9	5.5	5.2	1.7	1.6	2.2	5.0	2.7
Jordan	0.0	1.0	13.5	0.0	0.3	3.0	9.9	6.3	3.8	9.3	9.2	2.6	5.6
Morocco	0.0	0.9	6.1	0.0	0.2	2.3	6.6	4.3	1.9	2.8	4.7	1.8	3.0
Pakistan	0.3	1.7	7.7	0.0	0.5	3.3	7.4	7.3	1.9	3.0	5.1	5.8	3.5
Yemen	0.0	0.4	1.7	0.1	0.1	0.7	1.4	2.7	0.4	0.8	0.5	1.4	0.8
<b>Latin America/ Caribbean</b>													
Brazil (NE)	8.8	40.7	48.6	0.3	24.1	59.1	45.2	42.9	29.5	31.9	37.9	46.3	37.7
Colombia	1.7	18.9	33.4	0.5	7.0	38.9	35.7	20.9	20.9	26.9	23.8	17.2	20.9
Dominican Republic	7.1	38.7	60.9	0.4	16.7	65.0	55.7	39.2	37.4	35.3	43.7	30.9	38.5
Paraguay	0.8	4.4	13.4	0.5	3.4	11.6	10.7	8.3	6.3	9.6	7.1	7.8	7.4
Peru	0.3	3.9	14.6	0.1	2.7	12.0	12.7	9.6	3.5	4.1	7.8	8.6	7.9

**Table D.7 Current use of male sterilization**

Percentage of currently married women 15-49 reporting current use of male sterilization, by age, number of living children, residence, and education, Demographic and Health Surveys, 1990-1993

Country	Age group			Number of living children				Residence		Education			Total
	15-24	25-34	35-49	0	1-2	3-4	5+	Urban	Rural	No educa- tion	Primary	Second- ary or higher	
	<b>Sub-Saharan Africa</b>												
Burkina Faso	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cameroon	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Madagascar	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Malawi	0.0	0.1	0.0	0.0	0.0	0.2	0.0	0.0	0.1	0.0	0.0	1.5	0.0
Namibia	0.0	0.1	0.4	0.0	0.3	0.2	0.2	0.5	0.0	0.0	0.1	0.5	0.2
Niger	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Nigeria	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Rwanda	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Senegal	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tanzania	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Zambia	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0
<b>Asia/Near East/ North Africa</b>													
Egypt	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Indonesia	0.1	0.5	0.9	0.0	0.3	0.9	1.0	0.4	0.7	0.8	0.6	0.3	0.6
Jordan	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
Morocco	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pakistan	0.0	0.0	0.1	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.2	0.2	0.0
Yemen	0.0	0.0	0.3	0.0	0.0	0.1	0.2	0.6	0.0	0.1	0.2	0.9	0.1
<b>Latin America/ Caribbean</b>													
Brazil (NE)	0.0	0.2	0.1	0.0	0.2	0.1	0.0	0.1	0.1	0.0	0.1	0.2	0.1
Colombia	0.1	0.7	0.5	0.0	0.3	1.0	0.3	0.6	0.3	0.0	0.3	0.7	0.5
Dominican Republic	0.0	0.2	0.4	0.0	0.1	0.3	0.3	0.3	0.1	0.0	0.0	0.5	0.2
Paraguay	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
Peru	0.0	0.1	0.2	0.0	0.1	0.2	0.1	0.1	0.0	0.0	0.1	0.1	0.1

**Table D.8 Current use of Norplant**

Percentage of currently married women 15-49 reporting current use of Norplant, by age, number of living children, residence, and education, Demographic and Health Surveys, 1990-1993

Country	Age group			Number of living children				Residence		Education			Total
	15-24	25-34	35-49	0	1-2	3-4	5+	Urban	Rural	No educa- tion	Primary	Second- ary or higher	
	<b>Sub-Saharan Africa</b>												
Burkina Faso	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Madagascar	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Rwanda	0.2	0.4	0.4	0.0	0.2	0.2	0.6	0.9	0.3	0.1	0.4	1.6	0.3
Senegal	0.0	0.1	0.1	0.0	0.1	0.0	0.1	0.1	0.0	0.0	0.2	0.5	0.0
<b>Asia/Near East/ North Africa</b>													
Egypt	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Indonesia	3.2	3.5	2.7	0.0	3.2	3.9	3.3	1.2	3.9	3.1	3.6	1.8	3.1
Pakistan	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<b>Latin America/ Caribbean</b>													
Dominican Republic	0.2	0.1	0.0	0.0	0.2	0.2	0.0	0.2	0.0	0.0	0.0	0.3	0.1



**Table D.9 Current use of periodic abstinence**

Percentage of currently married women 15-49 reporting current use of periodic abstinence, by age, number of living children, residence, and education, Demographic and Health Surveys, 1990-1993

Country	Age group			Number of living children				Residence		Education			Total
	15-24	25-34	35-49	0	1-2	3-4	5+	Urban	Rural	No education	Primary	Secondary or higher	
	<b>Sub-Saharan Africa</b>												
Burkina Faso	3.8	4.0	2.6	4.0	3.0	4.2	3.2	8.2	2.5	2.5	6.1	17.0	3.5
Cameroon	9.5	6.7	3.7	11.2	6.9	6.3	4.7	11.5	3.8	0.5	6.1	23.9	6.8
Madagascar	6.8	10.6	8.8	5.6	10.2	11.3	7.3	20.3	6.6	1.6	5.5	23.9	9.0
Malawi	2.4	2.7	1.5	0.5	2.0	2.8	2.8	2.1	2.2	2.0	2.4	2.4	2.2
Namibia	0.1	1.0	0.6	0.3	1.0	0.7	0.5	0.6	0.7	0.6	0.6	0.7	0.7
Niger	0.0	0.0	0.1	0.0	0.0	0.1	0.1	0.4	0.0	0.0	0.3	1.9	0.1
Nigeria	1.1	1.7	1.1	2.0	0.9	1.4	1.7	3.5	0.8	0.1	2.3	6.9	1.4
Rwanda	3.3	4.9	6.3	0.8	4.2	5.7	6.5	5.9	5.1	4.3	5.6	7.2	5.1
Senegal	0.8	0.8	0.7	0.4	0.9	0.7	0.8	1.9	0.2	0.2	3.4	4.5	0.8
Tanzania	1.5	1.7	0.8	1.2	1.7	1.0	1.2	1.5	1.3	0.7	1.6	5.4	1.3
Zambia	0.6	1.2	1.0	0.2	0.9	0.6	1.4	1.4	0.5	0.3	0.4	3.4	0.9
<b>Asia/Near East/</b>													
<b>North Africa</b>													
Egypt	0.0	0.5	1.2	0.0	0.9	0.8	0.6	1.3	0.2	0.1	0.7	1.7	0.7
Indonesia	0.4	1.1	1.5	0.1	1.2	1.4	0.9	2.4	0.6	0.2	0.6	3.4	1.1
Jordan	2.6	3.5	5.0	0.1	4.7	4.6	3.9	4.4	2.5	2.1	3.1	4.9	3.9
Morocco	1.5	2.9	3.7	1.7	3.2	4.0	2.6	5.3	1.3	1.5	5.6	10.9	3.0
Pakistan	0.7	1.3	1.7	0.0	0.8	1.5	2.0	3.4	0.4	0.8	1.7	4.3	1.3
Yemen	0.1	0.6	0.5	0.0	0.3	0.6	0.6	1.7	0.2	0.4	0.7	2.7	0.5
<b>Latin America/</b>													
<b>Caribbean</b>													
Brazil (NE)	2.4	2.8	2.1	1.0	4.3	1.2	1.8	3.0	1.5	0.9	2.1	5.8	2.4
Colombia	3.0	6.1	7.7	2.3	6.4	6.1	7.0	6.6	4.8	5.3	4.0	8.4	6.1
Dominican Republic	2.1	2.8	1.1	1.2	3.6	1.3	0.8	2.6	1.0	1.5	0.9	4.0	2.0
Paraguay	3.4	6.3	5.3	3.3	6.8	5.3	3.8	7.2	3.2	0.0	3.1	11.0	5.3
Peru	15.9	21.0	22.5	12.5	22.5	21.3	18.6	21.3	19.4	17.9	20.5	21.3	20.7

Table D.10 Current use of withdrawal

Percentage of currently married women 15-49 reporting current use of withdrawal, by age, number of living children, residence, and education, Demographic and Health Surveys, 1990-1993

Country	Age group			Number of living children				Residence		Education			Total
	15-24	25-34	35-49	0	1-2	3-4	5+	Urban	Rural	No educa-	Secondary or		
										tion	Primary	higher	
<b>Sub-Saharan Africa</b>													
Burkina Faso	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.0	0.0	0.1	0.4	0.0
Cameroon	1.6	1.7	1.1	0.1	1.1	1.8	2.2	2.0	1.1	0.3	1.9	3.6	1.5
Madagascar	1.9	2.7	1.6	0.6	2.0	2.8	2.2	2.6	2.0	0.2	2.3	3.3	2.1
Malawi	1.3	2.3	0.7	0.4	1.2	1.9	1.9	0.8	1.5	1.2	1.8	1.7	1.5
Namibia	0.0	0.1	0.5	0.0	0.3	0.2	0.4	0.4	0.2	0.2	0.2	0.5	0.3
Niger	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0
Nigeria	0.4	0.6	0.6	0.3	0.4	0.5	0.8	1.1	0.4	0.1	0.9	2.2	0.5
Rwanda	3.2	2.7	3.5	0.4	2.9	2.4	4.5	2.8	3.1	2.4	3.8	2.6	3.1
Senegal	0.1	0.1	0.2	0.0	0.2	0.2	0.1	0.4	0.0	0.1	0.4	0.5	0.1
Tanzania	1.8	2.4	1.5	0.0	2.1	2.4	2.0	1.6	2.0	0.8	2.8	3.0	1.9
Zambia	3.4	3.1	2.2	0.0	3.4	3.2	3.4	2.3	3.6	2.3	3.5	2.0	3.0
<b>Asia/Near East/ North Africa</b>													
Egypt	0.0	0.5	1.2	0.0	0.6	0.8	0.9	1.1	0.3	0.4	0.7	1.2	0.7
Indonesia	0.4	0.8	0.7	0.1	0.7	0.7	0.9	1.0	0.5	0.2	0.7	1.2	0.7
Jordan	2.8	3.9	4.8	0.4	3.8	3.9	4.8	4.5	2.6	3.0	4.4	4.3	4.0
Morocco	0.9	2.6	3.4	0.3	1.3	2.7	4.3	3.1	2.3	2.4	3.9	2.8	2.6
Pakistan	0.8	1.4	1.3	0.0	0.7	2.2	1.2	3.0	0.4	0.5	1.8	5.8	1.2
Yemen	0.4	0.6	0.6	0.0	0.6	0.7	0.6	2.5	0.1	0.3	1.3	3.8	0.6
<b>Latin America/ Caribbean</b>													
Brazil (NE)	3.6	3.1	2.4	1.4	3.3	2.8	3.0	2.5	3.6	3.2	3.0	2.1	2.9
Colombia	3.5	4.3	6.1	2.3	4.5	4.9	6.7	4.3	6.1	2.8	6.9	3.0	4.8
Dominican Republic	3.5	2.1	1.4	1.9	2.5	1.5	3.0	1.9	2.7	2.3	1.7	3.1	2.2
Paraguay	2.5	2.8	3.2	1.6	3.1	3.2	2.6	2.5	3.3	2.0	3.3	2.1	2.9
Peru	4.2	3.9	3.7	1.4	4.1	3.6	4.4	3.7	4.2	3.6	4.6	3.4	3.9

Table D.11 Current use of traditional methods

Percentage of currently married women 15-49 reporting current use of traditional methods, by age, number of living children, residence, and education, Demographic and Health Surveys, 1990-1993

Country	Age group			Number of living children				Residence		Education			Total
	15-24	25-34	35-49	0	1-2	3-4	5+	Urban	Rural	No educa-	Primary	Secondary-	
										tion		ary or higher	
<b>Sub-Saharan Africa</b>													
Burkina Faso	2.3	2.4	1.8	0.4	2.5	2.5	2.1	0.9	2.4	2.2	2.1	0.6	2.2
Cameroon	1.6	1.2	1.5	1.8	1.1	1.0	1.8	1.7	1.2	0.9	1.6	2.4	1.4
Madagascar	0.4	0.6	0.5	0.1	0.6	0.6	0.5	1.0	0.4	0.2	0.3	1.3	0.5
Malawi	2.0	2.1	1.8	0.6	2.2	2.4	1.9	2.7	1.9	2.0	2.0	1.1	2.0
Namibia	4.5	2.0	0.8	0.0	2.6	2.3	1.5	0.2	3.0	1.8	3.0	0.5	1.9
Niger	2.3	2.6	1.2	0.1	2.5	2.5	2.3	4.4	1.7	1.9	4.5	4.0	2.1
Nigeria	0.4	0.5	0.7	0.3	0.4	0.5	1.0	0.6	0.5	0.4	0.9	0.7	0.6
Rwanda	0.0	0.1	0.1	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.1	0.0	0.1
Senegal	1.3	2.1	1.7	0.0	1.4	1.9	2.5	1.9	1.7	1.6	2.6	2.3	1.8
Tanzania	0.5	0.6	0.6	0.0	0.7	0.6	0.6	0.8	0.5	0.4	0.7	0.9	0.6
Zambia	1.2	2.7	2.9	0.2	1.3	1.9	4.2	1.6	2.8	2.9	2.4	1.1	2.2
<b>Asia/Near East/</b>													
<b>North Africa</b>													
Egypt	0.2	0.1	0.2	0.0	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.2
Indonesia	0.6	0.7	1.1	0.2	0.7	1.0	1.3	1.2	0.7	0.6	0.8	1.1	0.8
Jordan	5.5	7.0	3.2	0.0	5.7	6.2	5.6	4.7	6.5	5.9	4.5	5.2	5.2
Morocco	0.2	0.1	0.6	0.0	0.1	0.3	0.6	0.4	0.3	0.4	0.0	0.0	0.3
Pakistan	0.4	0.3	0.3	0.0	0.4	0.2	0.4	0.6	0.2	0.3	0.3	0.4	0.3
Yemen	1.4	1.1	0.9	0.0	1.6	0.9	1.2	3.0	0.7	1.0	1.7	1.1	1.1
<b>Latin America/</b>													
<b>Caribbean</b>													
Brazil (NE)	0.2	0.0	0.2	0.0	0.1	0.2	0.2	0.2	0.1	0.2	0.2	0.0	0.1
Colombia	1.1	0.4	0.4	0.6	0.8	0.4	0.3	0.5	0.7	0.4	0.7	0.4	0.5
Dominican Republic	0.2	0.7	0.3	0.2	0.6	0.2	0.7	0.5	0.4	0.4	0.4	0.6	0.5
Paraguay	4.6	4.1	6.0	2.4	3.8	5.8	6.7	4.1	6.0	6.7	5.7	3.3	5.0
Peru	1.2	1.4	2.0	0.3	1.0	1.9	2.6	1.4	2.1	2.6	2.1	1.1	1.6